

## Calculating a Start Value with Unallowable Elements

While working on scores for the Level 8 floors from our NAWGJ disks, as the editor, I purposely included some Level 9 athletes to exemplify the rules.

1. Unallowable elements are judged in chronological order.
2. Level 8 athletes ARE NOT ALLOWED TO PERFORM D SKILLS.
3. Level 8 athletes are allowed ONE Acrobatic C but ORDER DOES MATTER.
4. The routine requires: 4 A skills, 4 B skills, including a B turn, a 2 Salto Pass, 3 different Saltos and an A dismount.

Please follow this routine.

Opening pass: Double back Tuck Salto (not allowed)

2<sup>nd</sup> pass: Front full to a Front Tuck

3<sup>rd</sup> pass: Double full

Gymnasts performed a 1 ½ turn B, a switch split B to a wolf hop 1/1 C and a Tuck full B

Start Value: 7.0

No credit for D unallowable .5

No credit for C ..unallowable because D was performed first. .5

No 2 Salto Pass .5

No Dismount credit. .5 Unallowable skill .5

No 3 different saltos. .5

Total deductions 3.0

This is highly unlikely, (at Level 8) but it is the correct application of the rules.

Remember to check allowable and unallowable skills on all events at Level 8 and 9.

# 2017 NAWGJ Library Practice Judging DVD Scores

## Level 6

Vault			Bars			Beam			Floor		
#	SV	Score	#	SV	Score	#	SV	Score	#	SV	Score
1	10.00	9.1-9.15	1	10.00	8.4-8.55	1	10.00	8.0-8.4	1	10.00	9.0-9.2
2	10.00	8.7-9.1	2	10.00	8.5-8.7	2	10.00	8.9-9.0	2	10.00	9.35-9.45
3	10.00	8.9-9.2	3	10.00	8.0-8.2	3	9.5/10	8.9-9.2	3	10.00	9.1+9.4
4	10.00	9.3-9.5	4	10.00	7.1-7.5	4	9.40	7.9-8.2	4	10.00	9.3-9.35
5	10.00	8.8-9.2	5	10.00	8.7-9.0	5	10.00	8.8-9.1	5	10.00	9.0-9.2
6	10.00	8.3-8.6	6	10.00	9.0-9.1	6	9.5/10	8.1-8.5	6	10.00	9.3-9.6
7	10.00	8.8-9.2	7	10.00	8.75-8.85	7	10.00	8.95-9.25	7	10.00	9.15-9.35
8	10.00	8.7-9.0	8	10.00	8.6-8.7	8	10.00	9.0-9.25	8	10.00	9.1-9.25
9	10.00	9.0-9.35	9	10.00	8.4-8.65	9	9.5/10	8.3-8.9	9	10.00	9.25-9.4
10	10.00	8.7-9.15	10	10.00	9.1-9.25	10	10.00	9.1-9.25	10	10.00	9.2-9.4

## Level 7

Vault			Bars			Beam			Floor		
#	SV	Score	#	SV	Score	#	SV	Score	#	SV	Score
1	10.00	9.1-9.15	1	10.00	9.55-9.8	1	9.50	8.1-8.4	1	10.00	9.0-9.3
2	10.00	8.7-9.1	2	9.50	6.5-7.9	2	10.00	8.85-9.0	2	10.00	9.4-9.5
3	10.00	8.9-9.2	3	9.50	8.1-8.3	3	9.50	7.3-7.7	3	10.00	8.8-9.05
4	10.00	9.3-9.5	4	9.5/10	7.5-8.1	4	10.00	8.4-8.65	4	10.00	9.0-9.25
5	10.00	8.8-9.2	5	10.00	9.1-9.4	5	9.50	8.2-8.5	5	10.00	8.9-9.15
6	10.00	8.3-8.6	6	10.00	9.7-9.9	6	9.50	8.0-8.4	6	10.00	9.3-9.6
7	10.00	8.8-9.2	7	10.00	8.7-8.8	7	9.5/10	8.6-8.65	7	10.00	8.4-8.7
8	10.00	8.7-9.0	8	10.00	8.9-9.05	8	10.00	9.45-9.6	8	10.00	9.45-9.6
9	10.00	9.0-9.35	9	10.00	9.0-9.2	9	10.00	9.3-9.45	9	10.00	9.3-9.4
10	10.00	8.7-9.15	10	10.00	9.55-9.75	10	9.50	8.6	10	10.00	9.4-9.5

# 2017 NAWGJ Library Practice Judging DVD

## Uneven Bars Levels 8-10

Level 8		
#	SV	Score
1	10.00	8.90-9.05
2	10.00	7.80-8.05
3	8.20	5.80-6.60
4	10.00	8.20-8.60
5	10.00	8.80-8.90
6	7.30	5.00-5.20
7	10.00	9.10-9.25
8	9.7/10.0	6.80-7.10
9	10.00	8.20-8.40
10	10.00	8.30-8.50
11	8.7/9.0	7.70-7.80
12	8.2/8.5	5.70-5.90
13	10.00	9.10-9.30
14	10.00	7.10-7.20
15	10.00	9.30-9.50
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		

Level 9		
#	SV	Score
1	9.70	8.50-8.65
2	9.90	8.30-8.45
3	10.00	9.35-9.50
4	8.8/8.6	7.80-8.00
5	10.00	8.50-8.60
6	10.00	9.05-9.20
7	9.70	8.15-8.30
8	9.70	7.60-7.70
9	10.00	8.75-8.80
10	10.00	9.40-9.55
11	10.00	9.00-9.20
12	10.00	9.40-9.50
13	10.00	9.30-9.40
14	9.90	8.65-8.80
15	10.00	9.40-9.45
16	9.70	6.20-6.60
17	10.00	9.35-9.45
18	9.70	8.55-8.85
19	9.10	7.00-7.10
20	10.00	8.8-8.90
21		
22		
23		
24		
25		

Level 10		
#	SV	Score
1	9.90	8.80-8.85
2	10.00	9.30-9.40
3	9.80	8.00-8.40
4	10.00	9.20-9.30
5	9.70	8.20-8.30
6	10.00	8.15-8.35
7	10.00	9.35-9.50
8	10.00	8.00-8.20
9	10.00	9.00-9.35
10	9.7/9.8	7.30-7.60
11	10.00	9.05-9.15
12	10.00	9.20-9.45
13	10.00	8.30-8.35
14	10.00	8.75-9.30
15	9.20	7.60-7.90
16	10.00	9.15-9.50
17	10.00	9.40-9.60
18	9.80	8.20-8.75
19	9.8-10	8.40-8.50
20	10.00	8.60-8.65
21	9.6-9.9	8.70-9.10
22	9.9-10	9.20-9.25
23	10.00	9.35-9.60
24	10.00	9.35-9.40
25	10.00	8.90-9.20

# 2017 NAWGJ Library Practice Judging DVD

## Balance Beam Levels 8-10

Level 8		
#	SV	Score
1	10.00	
2	10.00	9.2-9.5
3	10.00	8.45-8.55
4	10.00	8.7-8.9
5	10.00	8.6-8.85
6	10.00	9.0-9.25
7	9.50	8.0-8.4
8	10.00	8.5-9.1
9	10.00	8.7-9.1
10	10.00	8.2-8.5
11	9.90	8.7-9.1
12	10.00	8.65-8.8
13	10.00	8.95-9.2
14	10.00	8.55-8.8
15	10.00	9.35-9.5
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		

Level 9		
#	SV	Score
1	9.30	7.65
2	9.80	8.50
3	9.80	8.35
4	10.00	8.70
5	9.90	9.00
6	9.80	8.90
7	9.80	8.70
8	9.90	8.95
9	9.80	9.15
10	9.80	7.60 - 8.40
11	9.80	8.30 - 8.60
12	9.20	7.30 - 7.50
13	9.7 - 9.8	8.00 - 8.30
14	9.7 - 9.9	8.20 - 8.45
15	10.00	9.25-9.3
16	10.00	8.9-9.1
17	9.30	6.5-7.0
18	9.50	8.2-8.3
19	9.20	7.4-7.8
20	9.90	8.5-8.9
21		
22		
23		
24		
25		

Level 10		
#	SV	Score
1	10.00	8.80
2	9.10	7.40
3	10.00	8.70
4	9.80	8.30
5	9.90	8.60
6	9.80	8.70
7	10.00	8.75
8	9.80	8.25
9	9.60	7.70
10	9.80	8.60 - 8.90
11	9.90	8.60 - 8.80
12	9.70	8.40 - 8.65
13	10.00	9.10 - 9.20
14	9.2 - 9.7	8.40 - 8.55
15	9.90	8.75-8.90
16	9.90	8.90-9.10
17	10.00	9.15-9.30
18	10.00	9.20-9.25
19	10.00	8.90-9.15
20	9.50	8.20-8.40
21	9.90	8.50-8.70
22	10.00	9.30-9.45
23	10.00	9.40-9.60
24	10.00	9.20-9.45
25	10.00	9.40-9.60

# 2017 NAWGJ Library Practice Judging DVD

## *Floor Exercise Levels 8-10*

<b>Level 8</b>		
<b>#</b>	<b>SV</b>	<b>Score</b>
1	8.20 *	7.35-7.50
2	10.00	8.35-8.70
3	10.00	9.10-9.25
4	9.50 *	8.05-8.30
5	10.00	9.20-9.30
6	8.50 *	7.80-7.95
7	10.00	9.05-9.25
8	7.50	6.10-6.30
9	10.00	9.45-9.50
10	10.00	8.75-9.10
11	10.00	8.85-9.10
12	10.00	8.70-8.90
13	10.00	9.20-9.35
14	10.00	8.50-8.70
15	10.00	9.00-9.20
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		

<b>Level 9</b>		
<b>#</b>	<b>SV</b>	<b>Score</b>
1	10.00	8.45-8.80
2	9.90	9.15-9.25
3	9.70	7.60-8.10
4	10.00	8.80-9.00
5	10.00	9.10-9.25
6	8.70	7.35-7.85
7	10.00	9.25-9.50
8	9.8/9.9	9.05-9.20
9	9.80	8.90-9.00
10	10.00	9.20-9.50
11	9.80	8.65-8.95
12	10.00	8.75-9.10
13	10.00	8.85-9.00
14	10.00	9.40-9.50
15	9.90	9.10-9.25
16	10.00	9.00-9.30
17	10.00	8.80-9.15
18	9.90	8.35-8.40
19	9.90	9.05-9.10
20	10.00	8.85-9.00
21		
22		
23		
24		
25		

<b>Level 10</b>		
<b>#</b>	<b>SV</b>	<b>Score</b>
1	9.90	8.75
2	10.00	8.90
3	10.00	9.05
4	9.90	9.20
5	9.70	8.20
6	9.90	8.55
7	10.00	9.30
8	10.00	9.10
9	10.00	9.00
10	10.00	8.90
11	10.00	9.50
12	9.80	7.70
13	10.00	9.20
14	10.00	9.60
15	9.70	8.25
16	10.00	9.05
17	9.90	9.00
18	9.80	8.35
19	10.00	9.55
20	10.00	9.00
21	9.90	8.90
22	10.00	9.20
23	10.00	9.30
24	10.00	9.60
25	10.00	9.85

\* Unallowable Elements

# 2017 NAWgJ Library Practice Judging DVD

## Xcel Silver

Vault		
#	SV	Score
1	9.50	8.50
2	9.50	9.00
3	10.00	9.20
4	10.00	9.05
5	10.00	8.90
6	10.00	8.50
7	10.00	9.10

Bars		
#	SV	Score
1	10.00	9.00
2	10.00	8.80
3	10.00	8.90
4	10.00	9.20
5	10.00	9.50
6	10.00	9.60
7	10.00	9.40

Beam		
#	SV	Score
1	10.00	8.40
2	10.00	9.10
3	10.00	8.80
4	10.00	9.20
5	10.00	8.70
6	10.00	8.90
7	10.00	8.50

Floor		
#	SV	Score
1	10.00	8.80
2	10.00	8.70
3	10.00	9.20
4	10.00	9.10
5	10.00	8.40
6	10.00	9.30
7	10.00	9.00

## Xcel Gold

Bars		
#	SV	Score
1	10.00	9.50
2	10.00	7.70
3	9.30	8.10
4	10.00	9.40
5	10.00	8.90
6	10.00	9.10
7	10.00	8.80

Beam		
#	SV	Score
1	10.00	8.80
2	10.00	8.90
3	10.00	8.10
4	10.00	9.15
5	10.00	9.40
6	10.00	9.20
7	10.00	8.60

Floor		
#	SV	Score
1	10.00	8.80
2	10.00	9.30
3	10.00	8.70
4	10.00	8.80
5	9.50	8.90
6	10.00	8.85
7	9.00	8.20

## Xcel Platinum

Bars		
#	SV	Score
1	10.00	8.70
2	10.00	9.50
3	10.00	8.60
4	9.40	7.90
5	9.50	8.50
6	10.00	8.90
7	10.00	9.10

Beam		
#	SV	Score
1	10.00	8.60
2	9.40	8.70
3	9.40	8.30
4	10.00	8.10
5	9.50	7.70
6	9.50	8.10
7	10.00	9.30

Floor		
#	SV	Score
1	9.70	8.70
2	10.00	9.10
3	9.70	8.10
4	10.00	8.90
5	10.00	9.00
6	10.00	9.20
7	9.50	8.80

## Xcel Diamond

Bars		
#	SV	Score
1	9.50	8.50
2	10.00	8.30
3	10.00	8.70
4	10.00	9.10
5	9.50	8.80
6	10.00	9.05
7	10.00	9.20

Beam		
#	SV	Score
1	9.50	8.60
2	9.40	8.50
3	9.20	7.80
4	9.50	8.00
5	8.70	7.90
6	9.30	7.40
7	10.00	8.90

Floor		
#	SV	Score
1	10.00	9.20
2	9.50	9.00
3	9.50	8.50
4	9.50	8.40
5	10.00	9.35
6	10.00	9.50
7	8.70	8.10

# 2017 NAWGJ Library Practice Judging DVD

Does Your Mount Count???			
#	# in Code	Symbol	Deductions/Comments
1	1.103		
2	1.102		
3	No VP		Must be held 2 sec.
4	NIC		
5	1.210		
6	1.210		
7	1.210		
8	1.108		
9	1.102		
10	1.101		
11	1.108		
12	1.210		
13	NIC		shows strength & control
14	1.108		
15	NIC		
16	NIC		
17	NIC		
18	1.114		
19	NIC		
20	1.210		
21	1.210		
22	1.103		
23	1.109		
24	NIC		

Coming in for a Landing!!!			
#	# in Code	Symbol	Deductions
1			0.2 + Fall
2			0.2-0.3 + Fall
3			0.4-0.45 + Fall
4			0.2-0.3 steps
5			0.2-0.3 + step
6			0.1 + 0.2-0.3
7			0.1 + 0.3 + Fall
8			0.1 + 0.2 + Fall
9			0.1 + 0.3 + Fall
10			0.4-0.6
11			0.3 Rudi Inc
12			0.4-0.5
13			0.2-0.3
14			0.3-0.4
15			0.1 + 0.2 + Fall
16			0.25
17			0.15 - 0.2
18			0.25 - 0.3
19			0.25 - 0.3
20			0.15 - 0.2

# 2017 NAWGJ Library Practice Judging DVD

Use whichever Start value is appropriate for the Level you are judging.  
Deductions should be the same no matter the level of the gymnast.

<b>Xcel Vault</b>		
<b>#</b>	<b>Vault</b>	<b>Deductions</b>
1	Handspring	0.8-1.2
2	Handspring	0.5-0.8
3	Handspring	1.1-1.3
4	HS 1/2	1.1-1.3
5	HS 1/2	0.6-1.0
6	1/2 - 1/2	0.7-1.1
7	1/2 - 1/2	0.9-1.3
or	1/4 - 3/4	1.0-1.4
8	1/2 - 1/2	1.0-1.3
or	1/4 - 3/4	1.1 - 1.5
9	1/2 - 1/2	0.9 - 1.2
10	1/2 - 1/2	1.7 - 2.1
11	1/2 - 1/2	0.9 - 1.1
12	1/4 - 1/4	1.1 - 1.5
13	1/4 - Rep	0.9 - 1.4
14	1/2 - 1/2	0.8 - 1.2
15	1/2 - 1/2	0.85 - 1.4
16	1/2 - 1/2	0.8 - 1.05
17	1/2 - 1/2	1.5 - 1.7
18	1/2 - 1/2	1.0 - 1.2
19	1/2 - 1/1	1.1 - 1.3
20	1/2 - 1/1	1.4 - 1.7
21	Tsk Tuck	1.0 - 1.1
22	Tsk Tuck	1.1 - 1.2
23	Tsk Tuck	0.9 - 1.4
24		0.6 - 0.9

<b>JO Lev 9/10 Regional Vaults</b>		
<b>#</b>	<b>Vault</b>	<b>Deductions</b>
1	HS Front Tuck	0.35-0.50
2	HS Front Tuck	0.45-0.75
3	HS Front Tuck	0.15-0.45
4	HS Front Tuck	0.40-0.60
5	HS Front Tuck 1/2	0.50-0.70
6	HS Front Pike	0.45 - 0.8
7	HS Front Pike	0.20-0.50
8	HS Front Pike	0.35-0.60
9	Tsk Tuck 1/1	0.70-1.0
10	Tsk Pike	0.90-1.1
11	Tsk Stretched	0.65-1.0
12	Tsk Stretched	0.60-1.05
13	Tsk Stretched 1/2	0.40-0.70
14	Tsk Stretched 1/1	0.40-0.80
15	Tsk Stretched 1/1	0.25-0.35
16	Yurchenko Stretched	1.0-1.4
17	Yurchenko	0.80-1.2
18	Yurchenko Tuck 1/1	0.40-0.70
19	Yurchenko Tuck 1/1	0.80-1.1
20	Yurchenko Pike	0.60-1.0
21	Yurchenko Stretched	0.55-1.0
22	Yurchenko Stretched	0.60-0.65
23	Yurchenko Stretched 1/1	0.30-0.70
24	Yurchenko Stretched 1/1	0.35-0.60
25	Yurchenko Stretched 1/1	0.30-0.60
26	Yurchenko Stretched 1/1	0.50-0.85
27	Yurchenko Stretched 1 1/2	0.35-0.55
28	Yurchenko Stretched 2/1	0.45-0.50

All are +0.1 Vaults - Full Deductions are shown  
Reflect +0.10 in your Final Score.



## 2017 NAWGJ Library Practice Judging DVD

<b>Oops - Level 9</b>			
<b>#</b>	<b>SV</b>	<b>Score</b>	<b>Comments</b>
1	9.90	7.3-7.8	
2	9.70	6.6-7.3	
3	10.00	7.7-8.0	
4	8.70	6.35-6.5	
5	9.90	7.8-8.1	
6	9.90	7.7-8.0	
7	9.70	7.0-7.7	
8	9.3-9.4	6.6-7.2	
9	9.70	7.55-8.0	
10	10.00	7.6-8.2	
11	9.40	7.5-7.85	
12	9.7-9.8	7.7-8.4	
13	8.6-8.9	7.0-7.8	
14	9.70	7.1-7.8	
15	9.8-9.9	8.0-8.3	
16	9.70	6.2-6.6	
17	9.20	6.5-6.85	

<b>Oops - Level 10</b>			
<b>#</b>	<b>SV</b>	<b>Score</b>	<b>Comments</b>
18	9.60	7.7-8.0	
19	8.60	5.8-6.2	
20	9.50	5.85-6.45	
21	10.00	8.95-9.15	
22	10.00	7.5-8.2	
23	9.6-9.7	6.85-7.02	
24	10.00	8.65-8.90	
25	9.6-9.7	5.60-6.30	
26	9.80	5.7-6.3	
27	9.90	7.7-8.2	
28	9.10	6.6-6.8	
29	9.6-9.7	7.8-8.05	
30	10.00	7.9-8.15	