




USA GYMNASTICS WOMEN'S DEVELOPMENT PROGRAM VAULT VALUES FOR LEVELS 6 / 7 / 8

Effective August 1, 2022 - July 31, 2026 **Revised 7.15.2024**

LEVEL 6 & 7 - ONLY THE FOLLOWING THREE VAULTS ARE ALLOWED AT LEVEL 6/7; ALL VALUED AT 10.0

1.111	Front Handspring entry onto Table, to arrive on mat stack on the feet in a straight body position with tight arch in the upper back; arm position optional	
3.116	¼ - ½ twist on (Tsukahara Entry) onto Table, to arrive on mat stack on the feet (Level 6/7) or on the back (Level 7 only) in straight-hollow body position; arm position optional	
4.111	Round-off entry (Yurchenko) onto Table, to arrive on mat stack on the feet (Level 6/7) or on the back (Level 7 only) in straight-hollow body position; arm position optional	

LEVEL 8 - ONLY THE FOLLOWING GROUP 1 / 3 / 4 / 5 VAULTS ARE ALLOWED AT LEVEL 8:

# in DP Code	Name of specific Allowable Vault	Value
1.101	Handspring	9.0
1.102	Handspring → ½ twist	9.1
1.103	Yamashita	9.0
1.104	Yamashita → ½ twist	9.1
1.105	½ twist → ½ twist OR ¼ twist → ¾ twist	9.2
1.106	¼ - ½ twist → repulsion (with flight to feet)	9.0
1.108	¼ twist → ¼ twist (to face outward)	9.0
1.109	FHS onto board → Repulsion (with flight to feet)	9.1
1.110	FHS onto board → Handspring ½	9.2
1.111	FHS onto board, ¼ - ½ twist → Repulsion (w/ flight to feet)	9.1
1.201	Handspring → 1/1 twist	9.5
1.202	Handspring → 1½ twist	9.7
1.203	Yamashita → 1/1 twist	9.5
1.205	½ twist → 1½ twist OR ¼ twist → 1¾ twist	9.6
1.206	½ twist → 1/1 twist OR ¼ twist → 1¼ twist	9.4
1.207	1/1 twist → Handspring/Yamashita	9.5
1.208	1/1 twist → ½ twist	9.7
1.209	FHS onto board → Handspring 1/1	9.6
1.211	FHS onto board, ½ twist → ½ twist OR ¼ twist → ¾ twist	9.3
1.301	Handspring → 2/1 twist	10.0
1.306	½ twist → 2/1 twist ¼ twist → 2¼ twist	10.0
1.311	FHS onto board, ½ twist → 1/1 twist OR ¼ twist → 1 ¼ twist	9.5
3.201	Tsukahara Tuck	10.0
3.303	Tsukahara Pike	10.0
4.101	RO, FF → Repulsion (with flight to feet)	9.0
4.102	RO, FF → Repulsion ½	9.1
4.201	RO, FF → 1/1 twist	9.4
4.202	RO, FF → 1½ twist (Allen)	9.6
4.203	RO, FF → Back Tuck	10.0
4.304	RO, FF → Back Pike	10.0
5.101	RO, FF ½ → Handspring	9.2
5.102	RO, FF ½ → Handspring ½	9.4
5.201	RO, FF ½ → 1/1 twist	9.6
5.202	RO, FF ½ → 1½ twist	9.8
5.312	RO, FF ½ → 2/1 twist	10.0

USA GYMNASTICS WOMEN'S DEVELOPMENT PROGRAM VAULT VALUES FOR LEVEL 9

Effective 8/1/22 - 7/31/26
Revised 7.15.2024

GROUP I HANDSPRING/ YAMASHITA	GROUP II HANDSPRING with or without 1/1 TURN → SALTO FORWARD/BACKWARD	GROUP III TSUKAHARA or ½ on → SALTO FORWARD/BACKWARD with or without TURN	GROUP IV Round-off, Flic-flac → SALTO FORWARD/BACKWARD with or without LA TURN	GROUP V Round-off, Flic-flac (½ or 1/1) → HANDSPRING or SALTO FWD/BWD with or without LA TURN
1.101 Handspring 8.5		All Group 3 vaults allow 90° to 180° LA turn in the first flight	4.101 RO, FF → Repulsion 7.0	Group 5 vaults described as a flic-flac with a 1/1 (360°) turn on: allow a ¾ (270°) to 1/1 (360°) LA turn in the first flight
1.102 Hsp → ½ 8.6			4.102 RO, FF → Repulsion ½ 7.7	
1.103 Yamashita 8.5			4.201 RO, FF → 1/1 twist 9.1	
1.104 Yami → ½ 8.6			4.202 RO, FF → 1½ twist 9.3 (Allen)	
1.105 ½ → ½ 8.6				
OR				
½ → ¾				
1.106 ¼-½ → Repulsion 7.0		3.201 Tsukahara Tuck 9.6	4.203 RO, FF → Back Tuck 9.6	
1.109 FHS onto board, → Repulsion 8.6				
1.110 FHS onto board → Hsp ½ 8.7				5.201 RO, FF ½ → 1/1 twist 9.2
1.111 FHS onto board, ¼-½ → Repulsion 7.1				5.202 RO, FF ½ → 1½ twist 9.4
				5.207 RO, FF 1/1 → 1/1 twist 9.3
1.201 Hsp → 1/1 9.0	2.301 Hsp → Front Tuck 10.0		4.301 RO, FF → 2/1 twist 9.8 (Allen)	
1.202 Hsp → 1½ 9.4	2.302 Hsp → Front Tuck ½ 10.0	3.301 F. Hsp onto board- ¼ to ½ → B. Tuck 9.7	4.303 RO, FF → B. Tuck 1/1 10.0	5.301 RO, FF ½ → Front Tuck 10.0
1.203 Yami → 1/1 9.0	2.304 Hsp → Front Pike 10.0	3.302 Tsuk Tuck 1/1 10.0	4.304 RO, FF → B. Pike 9.7	5.312 RO, FF ½ → 2/1 twist off 10.0
1.205 ½ → 1½ 9.3	2.310 Fr. Hsp onto board, Hsp. → Fr. Tuck (lg) 10.0	3.303 Tsuk Pike 9.7	4.305 RO, FF → B. Layout 10.0	
or ¼ → 1¾	2.311 Fr. Hsp onto board, Fr. Hsp onto board, Hsp. → Fr. Pike (Garbarino) 10.0	3.304 Tsuk Layout 10.0	4.307 RO, FF → ½ off, Fr. Tuck 10.0 or RO, FF → B. Tuck ½	
1.206 ½ → 1/1 8.9		3.305 Fr. Hsp onto board, ¼ to ½ → B. Pike (Zuhlike) 9.8		
or ¼ → 1¼				
1.207 1/1 → HY 9.0				
1.208 1/1 → ½ 9.3				
1.209 FHS onto board, Hsp. → 1/1 9.1				
1.211 FHS onto board, ½ → ½ OR ¾ → ¾ 8.7				
1.301 Hsp → 2/1 10.0				
1.306 ½ → 2/1 9.8 or ¼ → 2¼		3.306 ½ → ½, Fr. Tuck or ¼ → ¼, Fr. Tuck (land facing out) or Tsuk Tuck ½ 10.0		
1.307 1/1 → 1/1 9.8				
1.311 FHS onto board, ½ → 1/1 OR ¾ → ¾ 9.0		3.308 ½ → ½, Fr. Tuck ½ (Shible) or ¼ → ¾, Fr. Tuck ½ 10.0	4.407 RO, FF → ½ turn, Fr. Tuck ½ (Beckman) 10.0	

USA GYMNASTICS WOMEN'S DEVELOPMENT PROGRAM VAULT VALUES FOR LEVEL 10

Effective 8/1/22 – 7/31/26

GROUP I HANDSPRING/ YAMASHITA	GROUP II HANDSPRING with or without 1/1 TURN → SALTO FORWARD/BACKWARD	GROUP III TSUKAHARA or ½ → SALTO FORWARD/BACKWARD with or without TURN	GROUP IV Round-off, Flic-flac → SALTO FORWARD/BACKWARD with or without LA TURN	GROUP V Round-off, Flic-flac (½ or 1/1) → HANDSPRING or SALTO FWD/BWD with or without LA TURN
1.101 Handspring 8.1	2.301 Hsp → F. Tuck 9.8	All Group 3 vaults allow a 90° to 180° LA turn in the first flight	4.101 RO, FF → Repulsion 7.0	5.101 RO, FF ½ → Hsp off 8.9
1.102 Hsp → ½ 8.2	2.302 Hsp → F. Tuck ½ 10.0*	3.301 F. Hsp onto board- ½ to ½ → B. Tuck 9.5	4.102 RO, FF → Repulsion ½ 7.7	5.102 RO, FF ½ → Hsp ½ off 9.1
1.103 Yamashita 8.1	2.303 Hsp → ½, B. Tuck 9.9	3.302 Tsuk Pike 9.8	4.201 RO, FF → 1/1 8.9	5.107 RO, FF 1/1 → Hsp ½ off 9.2
1.104 Yami → ½ 8.2	2.304 Hsp → F. Pike 9.9	3.303 Tsuk Pike 9.5	4.202 RO, FF → 1½ (Allen) 9.1	5.108 RO, FF 1/1 → Repulsion 8.2
1.105 ½ → ½ OR 8.2	2.310 Hsp. → F. Tuck (lig) 9.9	3.304 Tsuk Layout 9.7	4.301 RO, FF → 2/1 twist 9.7	5.201 RO, FF ½ → 1/1 twist 9.2
1.106 ½ - ½ → 7.0	2.311 F. Hsp onto board, Hsp. → F. Pike (Garbano) 10.0*	3.305 F. Hsp onto board- ½ to ½ → B. Pike 9.6	4.302 RO, FF → B. Tuck 9.4	5.202 RO, FF ½ → 1½ twist 9.4
1.109 FHS onto board, → Repulsion 8.2	2.402 Hsp → F. Tuck 1/1 10.0	3.306 ½ → ½, F. Tuck 9.7	4.303 RO, FF → B. Tuck 1/1 9.8	5.207 RO, FF 1/1 → 1/1 twist 9.3
1.110 FHS onto board, → Hsp ½ 8.3	2.403 Hsp → ½, B. Tuck 10.0	3.307 ½ → ½, F. Pike 9.8	4.304 RO, FF → B. Pike 9.5	5.301 RO, FF ½ → F. Tuck 10.0*
1.111 FHS onto board, → Repulsion 7.1	2.404 Hsp → F. Pike ½ 10.0	3.308 ½ → ½, F. Tuck ½ (Shible) or ½ → ¾, F. Tuck ½ 9.8	4.305 RO, FF → B. Layout 9.7	5.312 RO, FF ½ → 2/1 twist 9.9
1.201 Hsp → 1/1 8.8	2.405 Hsp → ½, B. Pike 10.0	3.402 Tsuk Tuck 1½ 10.0	4.306 RO, FF → B. Layout 1/1 10.0*	
1.202 Hsp → 1½ 9.2	2.406 Hsp → F. Layout 10.0	3.403 Tsuk Pike 1/1 9.9	4.307 RO, FF → ½, F. Tuck 9.8	
1.203 Yami → 1/1 8.8	2.407 Hsp → F. Layout ½ or Hsp → ½, B. Layout 10.0	3.404 F. Hsp onto board- ¼ to ½ → B. Tuck 1/1 (Zunlike) 9.9	4.308 RO, FF → ½, F. Pike 9.9	
1.205 or ¼ → 1½ 9.1	2.408 Hsp → F. Pike 1/1 10.0	3.405 ½ → ½, F. Tuck ½ (Shible) or ½ → ¾, F. Tuck ½ 9.8	4.309 RO, FF → ½, F. Layout or RO, FF → B. Layout ½ 10.0*	
1.206 or ¼ → 1¼ 8.7	2.409 1/1 → F. Tuck 10.0	3.407 ½ → ½, F. Layout or ¼ → ¾, F. Layout (land facing out) 10.0*		
1.207 1/1 → H/Y 8.9	2.410 F. Hsp onto board 10.0	3.408 ½ → ½, F. Tuck ½ (land facing out) 10.0		
1.208 1/1 → ½ 9.1	2.411 Hsp. → F. Pike ½ (Whitman) 10.0	4.403 RO, FF → B. Tuck 1½ 10.0*		
1.209 FHS onto board, Hsp. → 1/1 8.9	2.501 Hsp → Double F. Tuck 10.0	4.406 RO, FF → B. Layout w/ 1½ twist 10.0		
1.211 FHS onto board, ½ → ½ OR ½ → ¾ 8.3	2.502 Hsp → F. Tuck 1½ 10.0	4.407 RO, FF → ½, F. Tuck ½ (Beckman) 10.0*		
1.301 Hsp → 2/1 9.8	2.503 Hsp → F. Tuck 1/1 10.0	4.503 RO, FF → B. Tuck w/ 2/1 twist 10.0		
1.306 or ¼ → 2/1 9.6	2.504 Hsp → F. Tuck 1/1 10.0	4.506 RO, FF → B. Layout w/ 2/1 twist 10.0		
1.307 1/1 → 1/1 9.7	2.505 Hsp → F. Layout 1½ 10.0	4.508 RO, FF → ½, F. Pike ½ (Beckman) 10.0		
1.308 1/1 → 1½ 9.8	2.508 (Chusovitha) 10.0			
1.311 FHS onto board, ½ → 1/1 OR ½ → 1½ 8.8	2.509 1/1 → F. Pike 10.0			
1.402 Hsp → 2½ 10.0	2.607 Hsp → F. Layout 2/1 10.0			
1.504 Yami → 2½ (Kincaid) 10.0	2.609 1/1 twist → F. Layout 10.0			
		3.605 Tsuk Layout 2½ 10.0	4.606 RO, FF → B. Layout w/ 2½ twist 10.0	5.501 RO, FF ½ → F. Tuck 1½ 10.0
				5.505 RO, FF ½ → ½, B. LO 10.0
				5.509 RO, FF 1/1 → B. Layout 10.0
				5.510 RO, FF 1/1 → B. Tuck 1/1 10.0
				5.511 RO, FF 1/1 → B. LO 1/1 10.0
				(Tankousheva)

All shaded 10.0 Start Value Vaults that are performed successfully (no fall or spot) are eligible for a bonus of +0.10. No bonus for the following 10.0 Vaults listed with an asterisk: 2.302, 2.311, 3.407, 4.306, 4.309, 4.403, 4.407, 5.301, 5.408, 5.409

Revised 7.15.2024